

Easy CramBible Lab



1Z0-108

Oracle WebLogic System Administration

**** Single-user License ****

This copy can be only used by yourself for educational purposes

Web: <http://www.crambible.com/>

E-mail: web@crambible.com

Important Note
Please Read Carefully**Study Tips**

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions.

Go through the entire document at least twice so that you make sure that you are not missing anything.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at CramBible an update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to www.CramBible.com
2. Click on Member zone/Log in
3. The latest versions of all purchased products are download from here. Just click the links.

For most updates, it is enough just to print the new questions at the end of the new version, not the whole document.

Feedback

Feedback on specific questions should be send to web@CramBible.com. You should state: Exam number and version, question number, and login ID.

Our experts will answer your mail promptly.

Copyright

Each pdf file contains a unique serial number associated with your particular name and contact information for security purposes. So if we find out that a particular pdf file is being distributed by you, CramBible reserves the right to take legal action against you according to the International Copyright Laws.

THE TOTAL NUMBER OF QUESTIONS IS 51**QUESTION NO:1**

Requirement demands that an incoming request from a portfolio manager has to have a higher priority compared to other users of the application. As an administrator, which one of the following approaches would you adopt?

- A. Use Work Manager with the execute thread model to set up rules to associate a priority to the user.
- B. Use Work Manager fair-share-request-class to associate a priority to the user.
- C. Use Work Manager response-time-request-class to associate a priority to the user.
- D. Use Work Manager context-request-class to associate a priority to the user.

Answer: D

QUESTION NO:2

In order to configure the Instrumentation, Harvester, and Watch and Notification components at the server level for the WebLogic Diagnostic Framework, what must you first create'?

- A. Application module
- B. Diagnostic system module
- C. Subsystem diagnostic module
- D. WebLogic Diagnostic Framework Mbean

Answer: B

QUESTION NO:3

Scenario : While you are setting up a WebLogic Server domain for a fulfillment service application you have the following requirements: The Fulfillment application should be scalable and highly available; different users will use the application using a different DNS name.

This application is also exposed to some business partners using other protocols in addition to HTTP and this site also needs to be configured for transport level security. Different certificates should be installed in the server for different clients (using different DNS names). Even the site should withstand hardware NIC failures too.

How can WebLogic Server leverage the multiple physical NICs available on the hardware and be configured to withstand NIC failures so that customers will have high-availability for their applications?

- A. By configuring HTTP Parameters for the server
- B. By configuring network channels for different NICs
- C. By deploying and targeting different applications on different NICs directly
- D. By enabling the Managed Server Independence mode flag for the respective WebLogic Server.

Answer: B

QUESTION NO:4

With regard to the "external_stage" staging mode, which of the following is false?

- A. It is similar to the "stage" mode since target servers deploy using local copies of the deployment files.
- B. The Administration Server copies the deployment files to the targeted servers.
- C. It is generally used only in environments that are managed by third-party tools.
- D. It is used for deployments that do not require the dynamic update of selected Deployment Descriptors via the Administration Console.
- E. It is used only in environments that are managed by third-party tools that automate the required copying of files.

Answer: B

QUESTION NO:5

Which statement is true about SSL configuration?

- A. SSL can be configured only at the domain level. All the servers in that domain use same SSL configuration.
- B. SSL can be configured at the server level. All the servers in the domain can be configured to use their own SSL settings
- C. SSL can be configured at the cluster level. All the servers that are part of the clusters use the same SSL configuration.
- D. Once you configure SSL, the normal listen port will be disabled and cannot be used while the SSL port is enabled.

Answer: B

QUESTION NO:6

Assuming that the Administration Port is enabled, which of the following statements are true?

- A. Managed Servers must connect to the Administration Server through the administration port
- B. All the Managed Servers and Administration Servers must be configured for SSL protocol.
- C. HTTP Session Replication between two Managed Servers will use the administration port.
- D. The Administration Console will still be available using the HTTP normal listen port.

Answer: A B

QUESTION NO:7

What two best practices should be used when exporting an application's deployment configuration?

- A. Create null variables for all of an application's external resource-name dependencies.
- B. Use weblogic.PlanGenerator only for exporting resource dependencies.
- C. Use the Administration Console to remove variables from a plan.
- D. Use the Administration Console to add individual tuning property values to the deployment plan or to validate a custom deployment plan.

Answer: B D

QUESTION NO:8

Which two of the following roles can you use the WebLogic SNMP agent for?

- A. Respond to simple GET requests from an SNMP manager.
- B. Allow SNMP managers themselves to set the values of managed objects or invoke management operations.
- C. Listen for specific log messages and send trap notifications to SNMP managers when WebLogic Server generates them.
- D. Use WLST scripts to poll WebLogic Server resources periodically and send trap notifications to SNMP managers when the resources change in a way that you specify.

C

Answer: A C

QUESTION NO:9

In a domain of 10 servers, 5 servers are hosting a database intensive application. One of the clients with the IP address ab.cd.ef.lg reported slow responses and timeouts. You have decided to track every request from this client as it flows within the system and instrument the methods that perform database operations only for this client. What would you configure to achieve so?

- A. Servlet connection filter
- B. DyelInjection monitor
- C. Webserver plugin
- D. Network channel

Answer:B

QUESTION NO:10

What are the supported installation modes for WebLogic Server?

- A. Graphical mode, console mode and secure mode

- B. Graphical mode, console mode and silent mode
- C. Script mode, console mode and silent mode
- D. Script mode, console mode and secure mode
- E. Script mode, network mode and silent mode

Answer: B

QUESTION NO:11

An application deployed to a server "myserver" shows degraded performance with respect to database related calls and you have decided to capture the data about all the JDBC methods invoked including the arguments and return values by enabling "DebugJDBCSOL" using WLST (WebLogic Scripting Tool). Which two would enable the debug?

- A.

```
connect(user, password, url)
edit()
cd (' Servers/myserver/ServerDebug/myserver')
set ('DebugJDBCSOL' , 'true')
save()
```
- B.

```
connect(user, password, url)
edit()
cd (' Servers/myserver/ServerDebug/myserver')
startEdit()
set ('DebugJDBCSOL' , 'true')
save()
```
- C.

```
connect(user, password, url)
edit()
cd (' Servers/myserver/ServerDebug/myserver')
startEdit()
set ('DebugJDBCSOL' , 'true')
save() activate()
```
- D.

```
connect(user, password, url)
edit()
cd (' Servers/myserver/ServerDebug/myserver')
startEdit()
set('DebugJDBCSQL' , 'true') activate()
```

Answer: C D

QUESTION NO:12

Scenario : While you are setting up a WebLogic Server domain for a fulfillment service application you have the following requirements: The Fulfillment application should be scalable and highly available; different users will use the application using a different DNS name.

This application is also exposed to some business partners using other protocols in