


Easy CramBible Lab



HP0-S14

Design & Implementation of HP SIM for ISS Solutions

**** Single-user License ****

This copy can be only used by yourself for educational purposes

Web: <http://www.crambible.com/>

E-mail: web@crambible.com

Important Note
Please Read Carefully**Study Tips**

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions.

Go through the entire document at least twice so that you make sure that you are not missing anything.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at CramBible an update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to www.CramBible.com
2. Click on Member zone/Log in
3. The latest versions of all purchased products are download from here. Just click the links.

For most updates, it is enough just to print the new questions at the end of the new version, not the whole document.

Feedback

Feedback on specific questions should be send to web@CramBible.com. You should state: Exam number and version, question number, and login ID.

Our experts will answer your mail promptly.

Copyright

Each pdf file contains a unique serial number associated with your particular name and contact information for security purposes. So if we find out that a particular pdf file is being distributed by you, CramBible reserves the right to take legal action against you according to the International Copyright Laws.

THE TOTAL NUMBER OF QUESTIONS IS 124

QUESTION NO: 1 You want to deploy the ProLiant Support Pack to a remote ProLiant server by using HP SIM. The remote server has no management agents installed yet. How should you proceed?

- A. Install OpenSSH first to establish the trust and then use the Install Software and Firmware option.
- B. Create a trust relationship between the remote server and the CMS and then use the Install Software and Firmware option.
- C. Create a user on the remote server known by HP SIM and then use the Install Software and Firmware option.
- D. Use the Initial ProLiant Support Pack Install and provide the login credentials for the remote server in the setup wizard.

Answer: D

QUESTION NO: 2 Which protocol does HP SIM use to retrieve system software and firmware inventory from HP servers?

- A. MIF
- B. SNMP
- C. SMTP
- D. OpenSSH

Answer: B

QUESTION NO: 3 When a system administrator attempts to update the firmware on a p-Class GbE2 interconnect switch using HP SIM, the update is unsuccessful. What could be the reason?

- A. The HP SIM server is running on Linux.
- B. The VCA agent on the p-Class GbE2 interconnect switch is not active.
- C. The p-Class GbE2 interconnect switch is not licensed for firmware upgrades.
- D. The p-Class GbE2 interconnect switch can only be upgraded using the serial connection.

Answer: A

QUESTION NO: 4 What is used by the version control feature in HP SIM to perform software and firmware updates?

- A. HP Management agents
- B. Version Control Agent (VCA)
- C. Version Control Update Manager
- D. Version Control Repository Manager (VCRM)

Answer: B

QUESTION NO: 5 When a system administrator creates a task to update software and firmware on systems in HP SIM running Windows, what happens?

- A. HP SIM sends update software commands to the VCRM on the target systems. The VCRM contacts the VCA.
- B. HP SIM contacts the HP Management Agents on the target systems who take care of the update process.
- C. HP SIM sends update software commands to the VCA on the target systems. The VCA contacts the VCRM.
- D. HP SIM sends update software commands to the VCA on the target systems. The VCA contacts the HP Management agents to start the update.

Answer: C

QUESTION NO: 6 A system administrator checks the installed firmware versions on an Itanium system running HP-UX and discovers that the status is unknown. What could be the issue?

- A. Itanium systems are not supported in HP SIM.
- B. HP-UX is not supported in the Version Control Architecture.
- C. The Version Control Agent (VCA) is not installed on the Itanium server.
- D. The trust relationship between the Itanium system and the CMS is not set up.

Answer: B

QUESTION NO: 7 As a system administrator you notice that on the 'all systems' list in HP SIM, the status for some of the software versions are not available. What is a possible cause? Select TWO.

- A. The software status polling task has not yet run.
- B. The trust relationship is not set correctly on the managed server.
- C. There are insufficient user rights to view the software status of these servers.
- D. OpenSSH is not configured properly on the Central Management Server and the managed device.

E. The version control agent is pointing to a version control repository manager not installed on the HP SIM server.

Answer: A, B

QUESTION NO: 8 What kind of task is data collection?

- A. a polling task
- B. a control task
- C. an event task
- D. a notification task

Answer: A

QUESTION NO: 9 The system administrator opens the tools menu, and selects the command line tools and only finds Windows based tools. However, when consulting the documentation, it shows UNIX/Linux commands as well. What could be a reason?

- A. HP SIM is not licensed for UNIX/Linux tools.
- B. HP SIM only discovered Windows systems.
- C. The UNIX/Linux extension pack is not installed.
- D. The UNIX/Linux tools in HP SIM are not enabled.

Answer: B

QUESTION NO: 10 You want to remove a user from the HP SIM database. What should you do with the tasks owned by that user?

- A. Drag and drop the tasks to another user.
- B. Remove or reassign the tasks before the user is removed.
- C. Nothing, they get automatically assigned to the administrator.
- D. Create a copy of these tasks and save under another users name.

Answer: B

QUESTION NO: 11 You have finished installing Vulnerability and Patch Management (VPM) on an HP System Insight Manager server. Once the server is rebooted, which step should you perform next for VPM to function correctly?

- A. Run a VPM scan on all managed servers to set a baseline.

- B. Run `mxtool -a -s VPM` to compile the newly installed tool into HP SIM.
- C. Configure the acquisition of vulnerability and patch updates in HP SIM.
- D. Contact the Microsoft and RedHat website to configure the download of vulnerability and patch updates.

Answer: C

QUESTION NO: 12 When performing a Physical to Virtual (P2V) migration, what are some of the prerequisites for the source physical machine? Select TWO.

- A. Assign a static IP address to the source physical machine.
- B. Ensure that the VMM agent is installed on the source physical machine.
- C. Verify that the source physical machine contains only RAID5 disk arrays.
- D. Temporarily disable the management agents on the source physical machine.
- E. Verify that all partitions on the source physical machine have a valid file system and are in a healthy state.

Answer: D, E

QUESTION NO: 13 You want to deploy the VMM agent from the CMS to manage Microsoft Virtual Servers. What should you install first on the VM host server?

- A. IIS
- B. OpenSSH
- C. virtualization layer
- D. Secure Sockets Layer

Answer: B

QUESTION NO: 14 You notice that a Microsoft Windows 2000 server is discovered by HP SIM and appears on the HP SIM home page but not in the PMP License Administration page. Why?

- A. The PMP sample rate is too high and PMP has not yet discovered this server.
- B. This server has HP Insight Management Agents version 6.2, which reports the wrong operating system name.
- C. Database synchronization issues are preventing PMP from retrieving the list of discovered servers.
- D. This server was discovered by the WBEM protocol and has the operating system version appended with a build number.